



# ST. JOHN'S

## Residential Public School

SONAGOPALPUR, SAMPATCHAK, PATNA -7

*Affiliated to CBSE, DELHI*

### CHEMISTRY CHAPTER ...2 (Notes)

*GRADE...X<sup>TH</sup>*

*PREPARED BY ...DR...S.K. VERMA*

### Introduction to Acids, Bases and Salts

#### Classification of matter

On the basis of.....

- a) **composition** - elements, compounds and mixtures
- b) **state** - solids, liquids and gases
- c) **solubility** - suspensions, colloids and solutions

**Types of mixtures** - homogeneous and heterogeneous

**Types of compounds** - covalent and ionic OR Electrovalent

### What Is an Acid and a Base?

#### Ionisable and non-ionisable compounds

An **ionisable** compound when dissolved in water or in its molten state, dissociates into ions almost entirely. Example: NaCl, HCl, KOH, etc.

A **non-ionisable** compound does not dissociate into ions when dissolved in water or in its molten state. Example: glucose, acetone, etc.

### Arrhenius theory of acids and bases

**Arrhenius acid** - when dissolved in water, dissociates to give  $\text{H}^+$  (aq) or  $\text{H}_3\text{O}^+$  ion.

**Arrhenius base** - when dissolved in water, dissociates to give  $\text{OH}^-$  ion.

### Examples

#### Acids

- Hydrochloric acid (HCl)
- Sulphuric acid ( $\text{H}_2\text{SO}_4$ )
- Nitric acid ( $\text{HNO}_3$ )

#### Bases

- Sodium hydroxide (NaOH)
- Potassium hydroxide (KOH)
- Calcium hydroxide ( $\text{Ca}(\text{OH})_2$ )

### Bronsted Lowry theory

A Bronsted acid is an  $\text{H}^+$  (aq) ion donor.

A Bronsted base is an  $\text{H}^+$  (aq) ion acceptor.

### Example

In the reaction:  $\text{HCl} (\text{aq}) + \text{NH}_3 (\text{aq}) \rightarrow \text{NH}_4^+(\text{aq}) + \text{Cl}^- (\text{aq})$

HCl - Bronsted acid and  $\text{Cl}^-$  : its conjugate acid

$\text{NH}_3$  - Bronsted base and  $\text{NH}_4^+$  : its conjugate acid

## Physical test

Two possible physical tests to identify an acid or a base.

### a. Taste

An acid tastes sour whereas a base tastes bitter.

*The method of taste is not advised as an acid or a base could be contaminated or corrosive.*

### b. Effect on indicators by acids and bases

An indicator is a chemical substance which shows a change in its physical properties, mainly colour or odour when brought in contact with an acid or a base.

Below mentioned are commonly used indicators and the different colours they exhibit:

#### a) Litmus

In a neutral solution - purple

In acidic solution - red

In basic solution - blue

Litmus is also available as strips of paper in two variants - **red litmus and blue litmus**.

An **acid** turns a moist blue litmus paper to **red**.

**Sour in taste, corrosive in nature**

A **base** turns a moist red litmus paper to **blue**.

**Bitter in taste, slippery or soapy in touch, corrosive in nature.**

#### b) Methyl orange

In a neutral solution - orange

In acidic solution - red

In basic solution - yellow

### c) Phenolphthalein

In a **neutral solution** - colourless

In **acidic solution** - remains colourless


In **basic solution** - pink

## Acid-Base Reactions


### Reactions of acids and bases

#### a) Reaction of acids and bases with metals


Acid + active metal  $\rightarrow$  salt + hydrogen + heat



Base + metal  $\rightarrow$  salt + hydrogen + heat




A more reactive metal displaces the less reactive metal from its base.



#### b) Reaction of acids with metal carbonates and bicarbonates

Acid + metal carbonate or bicarbonate  $\rightarrow$  salt + water + carbon dioxide.




Effervescence indicates liberation of  $\text{CO}_2$  gas.

#### c) Neutralization reaction

1. Reaction of metal oxides and hydroxides with acids

Metal oxides or metal hydroxides are basic in nature.


Acid + base  $\rightarrow$  salt + water + heat



## 2. Reaction of non-metal oxides with bases

Non-metal oxides are acidic in nature

Base + Nonmetal oxide  $\rightarrow$  salt + water + heat



## Water

### Acids and bases in water

When added to water, acids and bases dissociate into their respective ions and help in conducting electricity.

### Difference between a base and an alkali

#### **Base:**


- Bases undergo neutralization reaction with acids.
- They are comprised of metal oxides, metal hydroxides, metal carbonates and metal bicarbonates.
- Most of them are insoluble in water.

#### **Alkali:**

- An alkali is an aqueous solution of a base, (mainly metallic hydroxides).
- It dissolves in water and dissociates to give  $\text{OH}^-$  ion.
- All alkalis are bases, but not all bases are alkalis.

### **Hydronium ion**

Hydronium ion is formed when a hydrogen ion accepts a lone pair of electrons from the oxygen atom of a water molecule, forming a coordinate covalent bond.



$H^+$  (aq) or  $H_3O^+$  (Hydronium Ion)

### **Dilution**

Dilution is the process of reducing the concentration of a solution by adding more solvent (usually water) to it.


It is a highly exothermic process.

**To dilute acid, the acid must be added to water and never should add water in to acid.**

### **Strength of acids and bases**


**Strong acid or base:** When all molecules of a given amount of an acid or a base dissociate completely in water to furnish their respective ions,  $H^+$ (aq) for acid and  $OH^-$ (aq) for base).Eg.- Acid--- $HNO_3, HCl, H_2SO_4$  Base-- $KOH, NaOH, Ca(OH)_2$ .

**Weak acid or base:** When only a few of the molecules of a given amount of an acid or a base dissociate in water to furnish their respective ions,  $H^+$ (aq) for acid and  $OH^-$ (aq) For base. Acid-- $CH_3COOH, HCOOH, HF$ . Base--- $NH_3, NH_4OH, Al(OH)_3$ .



**Dilute acid:** contains less number of  $H^+(aq)$  ions per unit volume.

**Concentrated acid:** contains more number of  $H^+(aq)$  ions per unit volume.



### Universal indicator

A universal indicator has a pH range from 0 to 14 that indicates the acidity or alkalinity of a solution.

A neutral solution has  $pH=7$

## pH


$$pH = -\log_{10}[H^+]$$

In pure water,  $[H^+] = [OH^-] = 10^{-7}$  mol/L. Hence, the pH of pure water is 7.

The pH scale ranges from 0 to 14.

If  $pH < 7 \rightarrow$  acidic solution

If  $pH > 7 \rightarrow$  basic solution



## pH scale

### Importance of pH in everyday life

#### 1. pH sensitivity of plants and animals

Plants and animals are sensitive to pH. Crucial life processes such as digestion of food, functions of enzymes and hormones happen at a certain pH value.

#### 2. pH of a soil

The pH of a soil optimal for the growth of plants or crops is 6.5 to 7.0.

#### 3. pH in the digestive system

The process of digestion happens at a specific pH in our stomach which is 1.5 to 4.

The pH of the interaction of enzymes, while food is being digested, is influenced by HCl in our stomach.

#### 4. pH in tooth decay

Tooth decay happens when the teeth are exposed to an acidic environment of pH 5.5 and below.






## 5. pH of self-defence by animals and plants

Acidic substances are used by animals and plants as a self-defence mechanism. For example, bee and plants like nettle secrete a highly acidic substance (Formic Acid or Methanoic Acid) for self-defence. These secreted acidic substances have a specific pH. Nature having a plant called DOCK plant which is Alkaline in nature.

## Manufacture of Acids and Bases



### Manufacture of acids and bases

#### a) Nonmetal oxide + water → acid




Non-metal oxides are thus referred to as acid anhydrides.



#### b) Hydrogen + halogen → acid




#### c) Metallic salt + conc. sulphuric acid → salt + more volatile acid




#### d) Metal + oxygen → metallic oxide (base)




#### e) Metal + water → base or alkali + hydrogen



#### f) Few metallic oxides + water → alkali



#### g) Ammonia + water → ammonium hydroxide



## Salts

A salt is a combination of an anion of an acid and a cation of a base.

Examples - KCl, NaNO<sub>3</sub>, CaSO<sub>4</sub>, etc.

Salts are usually prepared by the neutralisation reaction of an acid and a base.

### Common salt

Sodium Chloride (NaCl) is referred to as common salt because it's used all over the world for cooking.

### Family of salts

Salts having the same cation or anion belong to the same family. For example, NaCl, KCl, LiCl.

### pH of salts

A salt of a strong acid and a strong base will be neutral in nature. pH = 7 (approx.).

A salt of a weak acid and a strong base will be basic in nature. pH > 7.

A salt of a strong acid and a weak base will be acidic in nature. pH < 7.

The pH of a salt of a weak acid and a weak base is determined by conducting a pH test.

### Preparation of Sodium hydroxide

Chemical formula - NaOH

Also known as - caustic soda

#### Preparation (Chlor-alkali process):

Electrolysis of brine (solution of common salt, NaCl) is carried out.

At anode: Cl<sub>2</sub> is released

At cathode: H<sub>2</sub> is released

Sodium hydroxide remains in the solution.

### Bleaching powder

Chemical formula - Ca(OCl)Cl or CaOCl<sub>2</sub>

Its chemical name is **CALCIUM OXYCHLORIDE**

**Preparation** - Ca(OH)<sub>2</sub>(aq)+Cl<sub>2</sub>(g)→CaOCl<sub>2</sub>(aq)+H<sub>2</sub>O(l)

When chlorine gas is passed over dry slaked lime.

On interaction with water - bleaching powder releases chlorine which is responsible for bleaching action.

### Uses:


- (i) To bleach wood pulp in paper industries.
- (ii) Bleaching washed clothes in Laundry.
- (iii) Make drinking water free from germs etc.

### Baking soda

Chemical name - Sodium hydrogen carbonate  
Chemical formula -  $\text{NaHCO}_3$

### Preparation (Solvay process):

- a. Limestone is heated:  $\text{CaCO}_3 \rightarrow \text{CaO} + \text{CO}_2$
- b.  $\text{CO}_2$  is passed through a concentrated solution of sodium chloride and ammonia:



### Uses:




- (i) Used in medicine as Antacid
- (ii) A mixture of baking soda and mild edible acid like Tartaric acid called (BAKING POWDER) is used to make Cake, Biscuit soft, spongy and fluffy.
- (iii) Used in Soda Acid Fire Extinguisher, to make PAKODA crispy.

### Washing soda

Chemical name - Sodium carbonate Decahydrate  
Chemical formula -  $\text{Na}_2\text{CO}_3 \cdot 10\text{H}_2\text{O}$

(a)  $\text{CO}_2$  is passed through a concentrated solution of sodium chloride and ammonia, also called **BRINE**, Then sodium hydrogen carbonate are heated strongly, It decomposes to form anhydrous sodium carbonate or **Soda ash**, Now dissolve in water to form water of

recrystallisation as a result we get **WASHING SODA**.



### Uses

1. In glass, soap and paper industries
2. Softening of water
3. Domestic cleaner

### Crystals of salts

Certain salts form crystals by combining with a definite proportion of water. The water that combines with the salt is called water of **crystallization**.

**Example;**  $\text{CaSO}_4 \cdot \frac{1}{2} \text{H}_2\text{O}$ ,  $\text{Na}_2\text{CO}_3 \cdot 10\text{H}_2\text{O}$ ,  $\text{CaSO}_4 \cdot 2\text{H}_2\text{O}$ ,  $\text{CuSO}_4 \cdot 5\text{H}_2\text{O}$

### Plaster of paris (POP)

Its chemical name is **CALCIUM SULPHATE HEMIHYDRATE**.

Gypsum,  $\text{CaSO}_4 \cdot 2\text{H}_2\text{O}$  (s) on heating at  $100^\circ\text{C}$  (373K) gives

$\text{CaSO}_4 \cdot \frac{1}{2} \text{H}_2\text{O}$  and  $\frac{3}{2} \text{H}_2\text{O}$

$\text{CaSO}_4 \cdot \frac{1}{2} \text{H}_2\text{O}$  is plaster of paris.

$\text{CaSO}_4 \cdot \frac{1}{2} \text{H}_2\text{O}$  means two formula units of  $\text{CaSO}_4$  share one molecule of water.

**Uses** - (i) cast for healing fractures bone.

(ii) Making Toys, designs on Ceilings etc.

*RED CABBAGE LEAVES, TURMERIC PETALS OF HYDRANGEA, PETUNIA, GERANIUM* are called **NATURAL INDICATORS**.

*VANILLA, ONION & CLOVE* are called **OLFACTORY INDICATORS** (detecting by smell).

.....  
.....